



How To Use 52K0T-LPS Fisheye Camera

Title:	How To Use K0T-LPS Fisheye Camera	Version:	v1.0	Date:	03/23/2026
Product:	Turbo HD Cameras			Page:	1 of 2

How To Use K0T-LPS Fisheye Camera

1. Introduction

The new 52K0T-LS Fisheye camera support 180° fisheye view, and provide high quality imaging with 3K, 2960 × 1665 resolution.

2. Preparation

1) Turbo HD Camera

Camera Model	Resolution
52K0T-LPS	TVI: 3K @10 fps/12.5 fps/20 fps(default)/25 fps, 4 MP @25 fps/30 fps, 1080P @25 fps/30 fps

2) DVR

M series HUIH/HTHI model is primary recommended to enable a 3K video input, and in order to use the smart light function, the DVR version should meet the requirements as follows:

EUI DVR: V4.71.400

GUI DVR: V4.51.100

eDVR: V4.71.210

If you want 3K@25fps video input, DVR model and version is required: HU/HT model with 4.83.100 version and above.

3. Fisheye view

Support horizontal FOV: 180°, vertical FOV: 114°, diagonal FOV: 180°, and could provide fisheye view as follow:

Title:	How To Use Two-way Audio Turbo HD Camera	Version:	v1.0	Date:	03/23/2026
Product:	Turbo HD Cameras			Page:	2 of 2





See Far, Go Further