

## Network Camera Firmware

Version: V5.5.91

Release Note

(2019-03-05)

<b>Firmware Basic Information</b>	Firmware Version:	V5.5.91_190218
	SDK Version:	V6.0.0.25 build181220_win32
	SADP Version	V3.0.0.11 build170710
	Playctrl.dll	V7.3.5.0
	SystemTransform.dll	V2.5.2.15
	AudioIntercom.dll	V1.4.0.6
	iVMS-4200	V2.6.13.6_181221

### 5/7 Series Camera Firmware V5.5.91 build190218 Features

#### Optimization

- Optimize the compatibility with NVR when using 8443 port.
- Optimize the compatibility with Onvif V1806.

#### Compatibility Update

- Milestone:

Milestone Enterprise 8.1a (2016 R2 10.2a), Milestone Device Pack 9.9

Milestone Corporate (2018 R2), Milestone Device Pack 9.9

- Exacqvision:

Version: 9.2.3.130093

- Avigilon Control Center:

Version: V6.8.6.4

- **Intellect:**

Version: V4.10.4

- **Digifort:**

Version: V7.2.1

- **Axxon:**

Version: AxxonNext-4.2.0.7697

- **Tested NVRs:**

DS-96256NI-I24/H (baseline V4.1.63) 96000 I Series

96000NI-I Series NVR (V3.6.21)

E Series: DS-7604NI-E1 (STD)

I Series: DS-8664NI-I8

K Series: V3.4.103

Q Series: V3.4.103

-D Series: HiLook V3.4.98\_180905

WiFi HiLook/HiWatch: V3.4.98\_180905

DeepInmind NVR:

V4.1.31, --X, S-V2 series

V4.1.25, FA, S series

AcuseNVR : V4.1.13\_180925

- **Tested Keyboard:**

DS-1600KI V3.0.1

DS-1006KI V1.0

## Customer Impact and Recommended Action

This update refers to function/compatibility improvement and will take effect automatically after the Date of Change. We are very sorry for any inconvenience of use-habit changes caused by this action.

For any questions and request for this firmware, please contact our local technical support team.

### Remarks:

- Hikvision reserves the right to change, alter or withdraw the above notification without prior notice.
- Product design and specifications are subject to change without prior notice.
- The Hikvision firmware may contain defects or errors known as errata which may cause the product to deviate from published specifications. Current characterized errata are available on request.
- Hikvision is not liable for any typing or printing errors.

Hikvision Digital Technology CO., Ltd.  
No. 555 Qianmo Road, Binjiang District, Hangzhou 310051,  
China  
Tel: +86-571-8807-5998  
FAX: +86-571-8993-5635

## Supported Product List (5XXX, 7XXX)

NOTES: The models with red are new.

Product Category	Model Number	Product Description
Box Camera	DS-2CD5026G0-(A)(P)	2MP, 60fps, 140dB WDR
Box Camera	DS-2CD5046G0-(A)(P)	4MP, 140dB WDR
Box Camera	DS-2CD5085G0-(A)(P)	8MP, ABF, P-iris optional
Box Camera	DS-2CD50C5G0-(A)(P)	12MP, ABF, P-iris optional
Indoor Dome Camera	DS-2CD5126G0-IZS (2.8-12mm)	2MP, 60fps, 140dB WDR

Indoor Dome Camera	DS-2CD5146G0-IZS (2.8-12mm)	4MP, IK10, 140dB WDR
Indoor Dome Camera	DS-2CD5165G0-IZS (2.8-12mm)	6MP, IK10, WDR
Indoor Dome Camera	DS-2CD5185G0-IZS (2.8-12mm)	8MP, IK10, WDR
Indoor Dome Camera	DS-2CD51C5G0-IZS (2.8-12mm)	12MP, IK10, IR
Anti-Corrosion Dome Camera	DS-2CD5526G0-IZ(H)SY(2.8-12mm)	2MP, IR, Anti-Corrosion
Anti-Corrosion Dome Camera	DS-2CD5546G0-IZ(H)SY(2.8-12mm)	4MP, IR, Auto-iris, Anti-Corrosion
Outdoor Dome Camera	DS-2CD5526G1-IZ(H)S(2.8-12mm)(8-32mm) (External cable) (Sample)	2MP, IR, Auto-iris
Outdoor Dome Camera	DS-2CD5546G1-IZ(H)S(2.8-12mm)(8-32mm) (External cable) (Sample)	4MP, IR, Auto-iris
Outdoor Dome Camera	DS-2CD5585G1-IZ(H)S(2.8-12mm)(8-32mm) (External cable) (Sample)	8MP, IR, Auto-iris
Outdoor Dome Camera	DS-2CD5526G0-IZ(H)S(2.8-12mm)(8-32mm)	2MP, IR, Heater optional
Outdoor Dome Camera	DS-2CD5546G0-IZ(H)S(2.8-12mm)(8-32mm)	4MP, IR, WDR
Outdoor Dome Camera	DS-2CD5565G0-IZ(H)S(2.8-12mm)	6MP, IR, WDR
Outdoor Dome Camera	DS-2CD5585G0-IZ(H)S(2.8-12mm)(8-32mm)	8MP, IR, Heater optional
Outdoor Dome Camera	DS-2CD55C5G0-IZ(H)S(2.8-12mm)	12MP, IR, Heater optional
Bullet Camera	DS-2CD5A26G0-IZ(H)S(2.8-12mm)(8-32mm)	2MP, IR, WDR, Heater optional
Bullet Camera	DS-2CD5A46G0-IZ(H)S(2.8-12mm)(8-32mm)	4MP, IR, WDR, Heater optional
Bullet Camera	DS-2CD5A65G0-IZ(H)S(2.8-12mm)	6MP, IR, Heater optional
Bullet Camera	DS-2CD5A85G0-IZ(H)S(2.8-12mm)(8-32mm)	8MP, IR, Heater optional
Bullet Camera	DS-2CD5AC5G0-IZ(H)S(2.8-12mm)	12MP, IR, Heater optional
Bullet Camera	DS-2CD5A26G1-IZ(H)S(2.8-12mm)(8-32mm) (Sample)	2MP, IR, WDR
Bullet Camera	DS-2CD5A46G1-IZ(H)S(2.8-12mm)(8-32mm) (Sample)	4MP, IR, WDR
Bullet Camera	DS-2CD5A85G1-IZ(H)S(2.8-12mm)(8-32mm) (Sample)	8MP, IR, WDR
Box Camera	DS-2CD7026G0-(A)(P)	2MP, P-iris optional

Box Camera	DS-2CD7046G0-(A)(P)	4MP, P-iris optional
Box Camera	DS-2CD7065G0-(A)(P)	6MP, P-iris optional
Box Camera	DS-2CD7085G0-(A)(P)	8MP, P-iris optional
Indoor Dome Camera	DS-2CD7126G0-IZS(2.8-12mm)(8-32mm)	2MP, IK10, WDR, IR
Indoor Dome Camera	DS-2CD7126G0/L-IZS(2.8-12mm)	2MP, IK10, WDR, IR
Indoor Dome Camera	DS-2CD7146G0-IZS(2.8-12mm)(8-32mm)	4MP, IK10, WDR, IR
Indoor Dome Camera	DS-2CD7165G0-IZS(2.8-12mm)	6MP, IK10, IR
Indoor Dome Camera	DS-2CD7185G0-IZS(2.8-12mm)(8-32mm)	8MP, IK10, IR
Outdoor Dome Camera	DS-2CD7526G0-IZ(H)S(2.8-12mm) (8-32mm)	2MP, IR, WDR
Outdoor Dome Camera	DS-2CD7546G0-IZ(H)S(2.8-12mm)(8-32mm)	4MP, IR, WDR
Outdoor Dome Camera	DS-2CD7565G0-IZ(H)S(2.8-12mm)	6MP, IR, WDR
Outdoor Dome Camera	DS-2CD7585G0-IZ(H)S(2.8-12mm)(8-32mm)	8MP, IR, WDR
Bullet Camera	DS-2CD7A26G0-IZ(H)S(2.8-12mm)(8-32mm)	2MP, IR, WDR
Bullet Camera	DS-2CD7A46G0-IZ(H)S(2.8-12mm)(8-32mm)	4MP, IR, WDR
Bullet Camera	DS-2CD7A65G0-IZ(H)S(2.8-12mm)	6MP, IR, Heater optional
Bullet Camera	DS-2CD7A85G0-IZ(H)S(2.8-12mm) (8-32mm)	8MP, IR, Heater optional